

Fig. 2

Microsoft Windows XP [Version 5.1.2600] (C) Copyright 1985-2001 Microsoft Corp.

C:\prescript{Y}\telnet 192.168.0.15

Fig. 3

Fujitsu Console Switch * Ver.0.1a
----login

Fig. 4

Fujitsu Console Switch * Ver.0.1a

login: testname

Password:

Last login: Thu Aug 8 14:52:24

testname#>

Fig. 5

Fujitsu Console Switch * Ver.0.1a

login: testname

Password:

Last login: Thu Aug 8 14:52:24

testname#>open 2

Fig. 6

Fujitsu Console Switch * Ver.0.1a

login: testname

Password:

Last login: Thu Aug 8 14:52:24

testname#>open 2

Welcome Xxx Yyy (apollo)

login: xyz
Password:

Last login: Thu Aug 8 16:21:31 from xyz

apollo%

Fig. 7

Fujitsu Console Switch * Ver.0.1a

login: testname

Password:

Last login: Thu Aug 8 14:52:24

testname#>open 2

Welcome Xxx Yyy (apollo)

login: xyz
Password:

Last login: Thu Aug 8 16:21:31 from xyz

apollo% exit

Fig. 8

Fujitsu Console Switch * Ver.0.1a

login: testname

Password:

Last login: Thu Aug 8 14:52:24

testname#>open 2


Welcome Xxx Yyy (apollo)

login: xyz
Password:

Last login: Thu Aug 8 16:21:31 from xyz

apollo% exit

testname#>
testname#>






Fig. 11

112





Fig. 12

C10 C11 C12	1, 10.0.0.2, 5001	0, 10.0.0.2, 5002	0, 10.0.0.2, 5003	1, 10.0.0.2, 5012	1, 10.0.0.2, 5060	.:		1, 10.0.0.2, 5031	.:
60	95j+1!45rz34ni3lk4j,	95j+1!45rz34ni3lk4j,	95j+1!45rz34ni3lk4j,	95j+1!45rz34ni3lk4j,	95j+1!45rz34ni3lk4j,			85932HkINkkljasFF,	
8	abcdefg,	abcdefg,	abcdefg,	abcdefg,	abcdefg,			k59kga,	••
C7	00:01:A1:23:99:01,	00:01:A1:23:99:01,	00:01:A1:23:99:01,	00:01:A1:23:99:01,	00:01:A1:23:99:01,	••	••	192.168.0.15, 20:13:DA:91:56:21, k59kga,	
90	192.168.0.3,	192.168.0.3,	192.168.0.3,	192.168.0.3,	192.168.0.3,			192.168.0.15,	
CS	12,	12,	12,	12,	12,	12,	12,	13,	13,
7	l,	۲,	Η,	Τ,	1,		••	oʻ	• •
ප	zens,	appllo,	gaia,	michel,	Poseidon,			dxt0007,	
C2	Ι,	2,	ຕ໌	4,	ς,			12,	
CI	0031,	0032,	0033,	0034,	0035,			0121,	••

Fig. 13

C12: CONNE CTING PORT
C11: TERMI NAL IP ADDRE SS
C10: STATUS
C9: PASS WORD
C8: ACCOU NT NAME
C7: MAC ADDRE SS OF DESTIN ATION DEVICE
C6: IP ADDRE SS OF DESTIN ATION DEVICE
CS: CONNE CTING METHO D
C4: POSSIBI LITY OF AUTO. CONNE
C3: NA ME
C2: PORT NUMBER (DEVICE BASE)
C1: PORT C2: PORT C3: POSSIB NUMBER NUMBER NUMBER ME LITY (DEVICE ME OF NUMBER) BASE) AUTO. CONNE






Fig. 16

Microsoft Windows XP [Version 5.1.2600] (C) Copyright 1985-2001 Microsoft Corp.

C:\\$>telnet 10.0.0.1

Fig. 17

Fig. 18

Enter Server No. or Name
testname#>

Fig. 19

Enter Server No. or Name testname#> 32

Fig. 20


1901


Fig. 21

C12	1, 10.0.0.2, 5002
C11 C12	10.0.0.2
C10	1,
60	132456,
ప	abcdefg,
C7	00:E0:00:EE:01:01, abcdefg,
90	1, 12, 192.168.0.3,
CS	12,
C4 C5	1,
ප	appllo,
C7	2,
CI	0032,

Fig. 23

* * *	
* * *	
ó	
31654987,	
qwerty,	
00:E0:00:EE:06:B7,	
192.168.0.12,	
12,	
<u>,</u>	
fujitsu,	
2,	
0011,	
	2, fujitsu, 1, 12, 192.168.0.12, 00:E0:00:EE:06:B7, qwerty, 31654987,









Fig. 27






Fig. 29







Fig. 30






Fig. 31

Fig. 32




Fig. 33

